

AMENDMENT TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1 – 9 (Cancelled).

10. (Currently Amended) A gas adsorption sheet comprising:
a granular activated carbon-containing sheet comprising a granular activated carbon having an average particle diameter of ~~60~~ 100 to 600 μm , a supporting fiber with a fiber diameter of 15 μm or more for fixing the granular activated carbon in contact with it, and an adhesive fiber which contributes to shape retention and is a water-swelling fiber, wherein the granular activated carbon-containing sheet is integrally formed by wet bonding and has a first surface zone containing supporting fibers and ~~a layer containing~~ no granular activated carbon on a first surface, and a granular activated carbon-sedimenting zone on a second surface; and an air-permeable sheet laminated on the second surface.

11. (Original) The gas adsorption sheet according to claim 10, wherein the air-permeable sheet in addition to the granular activated carbon-containing sheet.

12. (Original) The gas adsorption sheet according to claim 10, wherein the air-permeable sheet comprises a non-woven fabric made of a film split type electret fiber as a main component.

13. (Original) The gas adsorption sheet according to claim 12, wherein the air-permeable sheet is further provided with a cover sheet in the form of a non-woven fabric, woven fabric or net.

14. (Original) The gas adsorption sheet according to claim 12, wherein a packing density of the air-permeable sheet is from 0.01 to 0.20 g/cc.

Claims 15 and 16 (Cancelled).

17. (Amended) An air-purifying filter obtained by forming a gas adsorption sheet having a granular activated carbon-containing sheet and an air-permeable sheet into a shape of pleats or wave, said granular activated carbon-containing sheet comprising:

a granular activated carbon having an average particle diameter of ~~60~~ 100 to 600 μm , a supporting fiber with a fiber diameter of 15 μm or more for fixing the granular activated carbon in contact with it, and an adhesive fiber which contributes to shape retention and is a water-swelling fiber, wherein said granular activated carbon-containing sheet is integrally formed by wet bonding and has small pores that allow air to substantially permeate the carbon-containing sheet in a thickness direction, said granular activated carbon-containing sheet has a surface zone containing supporting fibers and ~~a layer containing~~ no granular activated carbon on one surface, and a granular activated carbon-sedimenting zone on a second surface, and wherein said air-permeable sheet is laminated on the second surface of the granular activated carbon-containing sheet.

18. (Amended) An air-purifying filter obtained by forming a gas adsorption sheet having a granular activated carbon-containing sheet and an air-permeable sheet into a shape of pleats or wave, said granular activated carbon-containing sheet comprising:

a granular activated carbon having an average particle diameter of ~~60~~ 100 to 600 μm , a supporting fiber with a fiber diameter of 15 μm or more for fixing the

granular activated carbon in contact with it, and an adhesive fiber which contributes to shape retention and is a water-swelling fiber, wherein said granular activated carbon-containing sheet is integrally formed by wet bonding and has small pores that allow air to substantially permeate the carbon-containing sheet in a thickness direction, said granular activated carbon-containing sheet has a surface zone containing supporting fibers and ~~a layer containing~~ no granular activated carbon on one surface, and a granular activated carbon-sedimenting zone on a second surface, and wherein said air-permeable sheet is laminated on the second surface of the granular activated carbon-containing sheet and is provided with a cover sheet in the form of a non-woven fabric, woven fabric, or net.

Claims 19 – 21 (Cancelled).

22. (Original) The gas adsorption sheet according to claim 10, wherein an outer surface area of the supporting fiber is not more than $1 \text{ m}^2/\text{g}$, a fiber length thereof is from 3 to 20 mm and a density thereof is from 0.8 to 1.7 g/cc.

23. (Original) The gas adsorption sheet according to claim 10, wherein the granular activated carbon-containing sheet contains the granular activated carbon in an amount of 30 to 80% by weight based on the total weight thereof.

24. (Original) The gas adsorption sheet according to claim 10, wherein the granular activated carbon-containing sheet is provided with small pores that allow air to substantially permeate the carbon-containing sheet in a thickness direction.

25. (Original) The gas adsorption sheet according to claim 10,
wherein an average open area per one pore of the small pores is from 0.5 to 3 mm².

26. (Original) The gas adsorption sheet according to claim 10,
wherein the number of the small pores is from 1 to 20 per cm² of the granular
activated carbon-containing sheet.

27. (Original) The gas adsorption sheet according to claim 10,
wherein a porosity of the small pores is from 3 to 10%.